Illtra Low Maxx Accessories

US PRICE		US PRICE LIST A	ND ORDER FORM January 18, 2024		ncon
PRINT FORM	SAVE	CLEAR FORM		Motio	n
Contact Motion	Concepts Cus	tomer Service: 1	.888.433.6818 I	quotes@motionconcepts.com	1
Pealer Name:			These Accessory Additions	s are only available with the purchase of a new	
Dealer Account Number:			power positioning system and completed order form with all Client		
O #:			Specifications completed.	Subject to approval.	

Tag:		ACT4 electronics are not available for use with any power accessory.			
WHEELCHA	AIR ACCESSORIES		BRAND NEW!		
SELF CARE		REAR STORA	GE BASKET		
□нк	Hydration Kit	RSB	Removable Rear Storage Basket ⁽¹⁾⁽²⁾ \$1,295 Exterior dimensions: 18"W x 6"H x 7"D Interior dimensions: 17.8"W x 6"H x 6.8"D Interior capacity: 3 gallon Max Load: 20 lbs		
	staying hydrated a breeze.	Only available	nding beyond the basket's height may be damaged upon tilting. on TDX-SP2, ROVI X3/A3 bases. on Stander (MPSS) systems		
CRVMR	Rear View Mirror Right Mounted \$45				
CRVML	Rear View Mirror Left Mounted \$45		OUS ACCESSORIES		
□рн	X-Grip Phone Holder	□cscc	Cane and Crutch Holder ⁽¹⁾		
	The specialized mounting brackets allow the Phone to be seamlessly integrated via BALL MOUNT to the Arm Tube of your Motion Concepts Power Positioning System. The mounts can be reconfigured to accommodate a variety of mounting position	СЕРН	Flag Holder		
□исн	Universal Cup Holder (1)	AMC 1. Not available v	Accessory Mount with Clip		
_	accommodate cups up to 3" in diameter.				
■BP	Back Pack w/ Mounting Hardware \$95	PLEASE SPEC	CIFY PAGES INCLUDED WITH ORDER		
		Page 1	Excludes Power Accessories on pages 2-5		
1. Not available of	n the joystick side	Pages 1-5	Complete Order Form		
WHEELCHAIR	COVER				
☐TAG571850	Captain Seat Wheelchair Cover \$105 Weather-Resistant black Nylon cover. An adjustable strap at the bottom of the cover provides a way to adjust the size.	Total Retail \	/alue \$		
			SUBMIT		

PRINT FORM

SAVE

CLEAR FORM

Ultra Low Maxx Accessories

Dealer Name:	
Dealer Account Number:	
PO #:	
Tag:	

WHEELCHAIR POWER ACCESSORIES

ı	ΔTFRΔI	TII T	MODIII	F(1)(2)(3)(4)(5)(6)(7)(8

LATM Power Lateral Tilt Module(up to 15°).\$3,995

All options must be selected on the system order form prior to selecting this option.

LATDY Reduced Drive while in Lateral Tilt - Yes LATDN Reduced Drive while in Lateral Tilt - No

- 1. Weight capacity is 225 lbs.
- 2. Only available on TDX SP2, Aviva FX, Aviva RX, 6000ZHD, Edge HD (must use 22 batteries), and Rovi A3 Bases.
- 3. When ordering a lateral tilt module on a Storm short base frame, standard fixed casters must be ordered on the base.
- 4. Only available on 16" to 20" seat widths and 16" to 22" seat depths.
- 5. Only available with Multi-function electronics Part # MFCBD.
- 6. Must order the Group 24 battery tray for the TDX-SP2, which will utilize Group 22 batteries to accomodate the lateral tilt module.
- 7. Vents, articulating vents and articulating O2 holders are not available with Lateral
- 8. Minumum Seat to floor height for bases: TDX SP2 20.25", Aviva FX/RX -18.75", 6000ZHD/Edge HD - 19.75", ROVI A3 - 19.75"

POWER ANTERIOR TILT MODULE(1)(2)(3)(4)(5)(6)(7)(8)(9)

PAT45 Power Anterior Tilt Module(up to 45°)\$3,995 All options must be selected on the system order form prior to selecting this option. SOCM Synchronized Option for Center Mount Front Rigging with Anterior Tilt(10)\$1,350 MANDATORY For LNX, Maxx Style Fixed and Power Elevating Calf Panel \square SOR Synchronized Option for Recline with Anterior Tilt N/C For use on Tilt/Recline Systems, recommended with PAT45.

- 1. Strongly recommend selecting Recline with Power Anterior Tilt.
- 2. Weight capacity 250 lbs.
- 3. Only available on 16" to 20" seat widths and 16" to 22" seat depths.
- 4. Only available with Multi-Function electronics Part # MFCBD.
- 5. All front rigging will be set a 70° unless using the Synchronized Center Mount option. This module may limit front rigging options.
- 6. Minimum 18" seat to floor height at zero degrees.
- 7. Minimum finished knee to heel to touch floor is 13"
- 8. Not available with 12" Power Adjustable Seat Height Module.
- 9. Power Telescoping and Power Flip up foot platforms are not available.
- 10. This is an upgradeable option only, must be selected all 90° Front Rigging.

FIXED ANTERIOR ASSIST(1)(2)

FA10DLO 10° Fixed Anterior Assist/Drive Lock Out(3)(4)\$750 All options must be selected on the system order form prior to selecting this option.

FA5DLO 5° Fixed Anterior Assist/Drive Lock Out\$295

- This module may limit front rigging options. The 10° Fixed Anterior Assist adds approximately 3.6" to the seat to floor height at zero degrees(level). The 5° Fixed Anterior Assist adds approximately 2.2" to the seat to floor height at zero degrees(level).
- 2. Drive lock out is necessary when there is less than 3" ground clearance.
- 3. Only available with Multi-Function electronics Part # MFCBD.
- 4. Depending on seat depth and knee to heel, drive in pre-tilt may be required and/ restricted anterior may be necessary.

UPFRONT MODULE(1)(2)(3)(4)(5)(6)(7)(8)(9) **ROVI BASES ONLY**

□UM Upfront Module (up to 45°) with Anterior Tilt and 7" of Seat Elevation\$5,995

System moves Forward 5" while elevating forward and includes a synchronized leg mechanism to tuck when elevated forward and when extends forward in anterior tilt. All options must be selected on the system order form prior to selecting this option.

- RDY Reduced Drive for Upfront Module Included
- 1. Weight capacity is 250 lbs.

□ PSAJH

- 2. Minimum Seat to Floor Height (STF) is 18-18.5".
- 3. Only available with LNX Power Center Mount Front Rigging or Maxx Style Manual Center Mount foot platform.
- 4. Recline is recommended to assist with forward transfer.
- 5. Only available on 16" to 20" seat widths and 16" to 22" seat depths.
- 6. Only available with Multi-Function electronics Part # MFCBD.
- 7. Articulating Vents and O2 Holders are not available.
- 8. Power Sliding Back (PSB) is not available with the upfront module.
- 9. Power Telescoping and Power Flip up foot platforms are not available.

POWER SWING AWAY JOYSTICKS

Power Swing Away Joystick - Horizontal⁽¹⁾⁽²⁾ (Quad Link Style) Joystick Power "on" operation.....\$2,995 **PSAJV** Power Swing Away Joystick - Vertical Flip Up⁽¹⁾⁽²⁾ (Mid Line Style) Joystick Power "on" operation \$2,995 Select Mounting Position: **■**MLPS Mount on Left Side

□MRPS Mount on Right Side

□ JPOPS Operate Power Joystick/Chin Boom with Joystick Power "off" option(3)\$750

- 1. Comes with an egg switch.
- 2. Counts as an additional electronic function.
- 3. Allows Power Swing Away joystick to operate when chair is turned off.

POWER SWING AWAY CHIN BOOM

Power Swing Away Chin Boom⁽¹⁾⁽²⁾ **■**PSACB Joystick Power "on" operation\$2,995

Select Mounting Position:

■ MLCB Mount on Left Side ■MRCB Mount on Right Side

■ JPOCB Operate Power Joystick/Chin Boom with Joystick Power "off" option(3)\$750

- 1. Comes with an egg switch
- 2. Counts as an additional electronic function.
- 3. Allows Power Swing Away Chin Boom to operate when chair is turned off.

Ultra Low Maxx Accessories

PRH

□ PCB

PTAL

PTAR

MTAL

MTAR

☐ PFBAL

PFBAR

POWER RETRACTABLE HEADREST⁽¹⁾⁽²⁾⁽³⁾

1. Finished Back Height must be 22" high or greater. 2. Counts as an additional electronic function. 3. Not available with Power Sliding Back (PSB).

5. Seat to top of head measurement required

POWER CHEST RESTRAINT(1)(2)(3)(4)(5)

2. Counts as an additional electronic function.

TRANSFER ARM(1)(2)(3)(4)(5)(6)(7)(8)

5. Not available with XRO/XROE, or TRRO/TRRO-E

1. Weight Capacity is 200 lbs

1. Weight capacity is 175 lbs.

5. Minimum seat to floor height 18"

7. Not available with Upfront Module.

6. Transfer only available in the chair home position.

8. Not available with XRO/XROE, or TRRO/TRRO-E

POWER COMMUNICATION DEVICE(1)(3)(4)(5)(6)

4. Foam wrapped bar.

The Headrest pad moves up 3.5" and forward 4".

4. Not compatible with aftermarket backs, for use with Motion or Matrx backrests.

3. Compatible with Dual Post Armrest and Reclining Adjustable Height Armrest.

Power Retractable Headrest\$3,995

Power Chest Restraint.....\$3,995

Power Transfer Armrest - Left Side\$1,995

Power Transfer Armrest - Right Side\$1,995

Manual Transfer Armrest - Left Side\$995

Manual Transfer Armrest - Right Side......\$995

Power Flip Back Armrest - Left Side\$1,995

Power Flip Back Armrest - Right Side......\$1,995

POWER BAC PBPHL PBPHR 1.Weight limit 20 POWER FOO For use with L LNXPTF f Power LNXPFUF	Power Back Pack Holder with Single Back Pack mounted on Left Side
POWER BAC PBPHL PBPHR 1.Weight limit 20 POWER FOO For use with L LNXPTF Power LNXPFUF	Power Back Pack Holder with Single Back Pack mounted on Left Side
PBPHL I I PBPHR I I 1.Weight limit 20 POWER FOO For use with L LNXPTF I Power LNXPFUF I	Power Back Pack Holder with Single Back Pack mounted on Left Side
PBPHL I I PBPHR I I 1.Weight limit 20 POWER FOO For use with L LNXPTF I Power LNXPFUF I	Power Back Pack Holder with Single Back Pack mounted on Left Side
PBPHR 1.Weight limit 20 POWER FOO For use with L LNXPTF Power LNXPFUF	Power Back Pack Holder with Single Back Pack Mounted on Right Side
1.Weight limit 20 POWER FOO For use with L LNXPTF F Power LNXPFUF	Back Pack mounted on Right Side
POWER FOO For use with L LNXPTF f Power LNXPFUF	T PLATFORM OPTIONS FOR LNX NX Foot platform ordered separately Power Telescoping Foot Platform for LNX ⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾ \$2,250
For use with L LNXPTF f Power LNXPFUF F	NX Foot platform ordered separately Power Telescoping Foot Platform for LNX ⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾ \$2,250
LNXPTF F Power LNXPFUF F	Power Telescoping Foot Platform for LNX ⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾ \$2,250
LNXPTF F Power LNXPFUF F	Power Telescoping Foot Platform for LNX ⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾ \$2,250
	s lower leg length vertically up to a maximum of 4" extension.
	Power Flip up Foot Platform for LNX ⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾ \$1,995
4. Minimum finisl 5. Minimum seat 6. Not available 7. Requires Multi	ng will be set at approximately 80° on the Storm 3G. hed knee to heel is 13″. to floor height is 17″. on Upfront Module. -function electronics ordered on chair Part # MFCBD.
POWER FOO	T PLATFORM OPTIONS ⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾
Powers lower leg	Mount footplatform is included Power Telescoping Foot Platform with Fixed Center Mount\$2,845 length vertically up to a maximum of 4" extension.
	Power Flip up Foot Platform with Fixed Center Mount\$2,250
Includes the Fi Comes standa Optional sizes Not available Minimum finisl Minimum seat Not available	ixed Center Mount Foot platform which does not elevate. Ird with a 12" x 10.75" aluminum footplate with heel loops. available per standard order form. on Storm 3G unless Flared Front Casters are added to base. hed knee to heel is 13". to floor height is 17". on Upfront Module. -function electronics ordered on chair Part # MFCBD.

- PCDSL **Power Communication Device Single** Actuator - Left Joystick Power "on" operation\$2,995 ■PCDSR **Power Communication Device Single**
- Actuator Right Joystick Power "on" operation......\$2,995

2. Only with Adjust Dual Post Sytle Armrest for Tilt/Recline, arm height 10.5"-14.5"

3. Requires Multi-function electronics ordered on chair Part # MFCBD. 4. Minimum seat depth available is 16" and 16"-20" seat width.

PCDDL Power Communication Device Dual

Actuator - Left Joystick Power "on" operation\$3,995 PCDDR

Power Communication Device Dual Actuator - Right Joystick Power "on" operation.......\$3,995

☐ JPOCD Operate Power Joystick/Chin Boom Communication Device Joystick

□AE Additional Electronics\$3,995

1. Considered an additional electronic function and requires Multi-function electronics ordered on chair Part # MFCBD.

- Consider as an additional two functions.
- 3. May require additional electronics if system has more than 6 actuators (functions).
- 4. Minimum seat depth available is 16".
- 5. Weight capacity 20 lbs.
- 6. Comes with an egg switch.
- 7. Allows Power Communication Device to operate when chair is turned off.

Dealer Name:
Dealer Account Number:
PO #:
Tag:

VERTICAL LIFTING PLATFORM(1)(2)(3)(4)(5)(6)(7)

\square VLP	/LP Vertical Lifting Platform 11" of total travel		
	\square OCUFP	Onyx Pad for Foot Platform \$4	150

	COPP Onlyx rud for roo	л гіанонні	943 (
Specify preferi	red STOP and START positions		À
Area	Measurement in Inches		
A. Stop		600	1.1"
Travel	11"		
B. Start			B

- 1. Standard Tilt-to-Drive, or Elevate-to-Drive (elevate only systems) lockout included
- 2. Comes standard with a 12" x 10.75" aluminum footplate. Optional sizes available per standard order form
- 3. Requires Multi-function electronics ordered on chair Part # MFCBD
- 4. 175 lb weight capacity
- 5. Minimum seat to floor height is 17.75"
- 6. Not available with Small Adult seat sizes
- 7. Not available on Rehab systems or Upfront Module

POWER CALF PANEL ONLY(1)(2)(3)(4)

PECP	Power Elevating Calf Panel Only	\$2,995
------	---------------------------------	---------

- 1. No footplate available.
- Calf panel measures up to 15" in length and measures 13" wide at the bottom and tapers up to within 2" narrower than the seat width.
 Minimum seat depth 17" deep.
- 4. Not available for use with Dual Front Rigging adaptor.

POWER ELEVATING & ARTICULATING CALF PANEL(1)(2)(3)(6)(7)

PEACP	Power Elevating & Articulating	
	Calf Panel ⁽⁴⁾	\$4,345
PEACPDF	Power Elevating & Articulating Calf F with Power Down Footplate(12"W x 10.75")(4)(5)	
Options	• •	•
\square MCP	Meshtex Calf Panel	STD
□ VCP	Vinyl Calf Panel	STD

- 1. Calf panel measures up to 15" in length and measures 13" wide at the bottom and tapers up to within 2" narrower than the seat width.
- 2. Minimum seat depth 17" deep.
- 3. Knee to heel (KTH) = 12"-16"
- 4. 3.5" of articulation
- 5. Power down footplate travels 4" maximum.
- 6. Not available for use with Dual Front Rigging adaptor.
- 7. Only available with Multi-Function electronics

CUSTOMIZED FOOT PLATFORM OPTIONS

CFP Custom Foot Platform⁽¹⁾\$550 Measurement in Inches Area 2. 3.

Onyx Pad for Any Foot Platform (2)(3)\$450 OCUFP

- 1. Available for Maxx/LNX Center Mount.
- 2. Available for all Maxx/LNX Center Mount Foot Platform options.
- 3. Pad thickness is 1"

CUSTOMIZED LEGREST OPTIONS(1)(2)(3)(4)

PALSAMS Power Assisted Legrest Swing Away Mechanism controlled through Switch......\$3,995

PALSAMJ Power Assisted Legrest Swing Away Mechanism controlled through Joystick \$3,995

- 1. Considered an additional electronic function and requires Multi-function electronics ordered on chair Part # MFCBD.
- 2. Compatible with Motion HD 70° Swing Away footrest, Maxx Style Swing Away Legrest Power or Manual.
- 3. Legrests are not removeable.
- 4. Minimum 16" seat width and minimum 16" seat depth.

OPTIONAL CALF PANEL(1)(2)

OSCPL Optional Sized Flat One Piece Calf Panel for LNX\$450

Maximum pad size is seat width less 2" and 10" in length. With minimum 13" finished knee to heel.

Specify preferred size each Height: _____ Width: ____

1. Subject to clearance available.

2. Startex fabric over polyruethane foam is standard.

KNEE BOLSTER FOR LNX & MAXX STYLE FIXED CENTER MOUNT(1)(2)

□ KBS	Small - 8" wide Pads	1,750
□ KBL	Large - 10" wide Pads	1.750

1. Not available on Fixed Center Mount.

Ultra Low Maxx Accessories

Itra Low Max	x Accessories	Dealer Name:			
SPECIALTY	LEG PAD OPTIONS	ADDITION	AL FLECTR	ONIC OPTIONS(1)	
				wn Convertor	¢500
Laterai Leg DLLSLNXX	Support for LNX One Piece Calf Panel (pair) Extra Small Lateral Pad (5.5"W x 4"H)\$650	USDC Converts	24v to 12v	wn Convertor	\$500
LLSLNXS	Small Lateral Pad (7"W x 6"H)\$650	RPVPC	Richards	on Powertech Vent Po	ower Center .\$1,950
LLSLNXM	Medium Lateral Pad (9"W x 4"H)\$650	7 Chl - l . t l . : -		! :!::	Martin a Comment will and
LLSLNXL	Large Lateral Pad (13"W x 4"H)\$650			ed in life support applications I be held harmless against all	'
Lateral Leg	Supports for Power Elevating Calf Pane (pair)	MEMORY	SFATING O	PTIONS ⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾	
LLSPCPX	Extra Small Lateral Pad (5.5"W x 4"H)\$650	SFMS		unction Memory Seati	na
LLSPCPS	Small Lateral Pad (7"W x 6"H)\$650	3 1743	through	Switch	\$495
LLSPCPM	Medium Lateral Pad (9"W x 4"H)\$650		*Please call	for specification sheet 1-888	-433-6818
LLSPCPL	Large Lateral Pad (13"W x 4"H)\$650	MFMS		Function Memory Sec	
OSICP	Optional Sized Individual Calf Pads for Motion Concepts Front Rigging\$650		through *Please call	Switch	\$995 -433-6818
Specify preferre	ed size each Height: Width:	1. Memory se Upfront Mo	0	vailable on systems with Latero	al Tilt, Anterior Tilt, or
SPECIALTY	ARM PAD OPTIONS			operate Power Adjustable Sea or Power Sliding Back (PSB).	t Height modules
OSFAP	Optional Sized Flat Arm Pads\$650	3. Comes with	h a quad butto	on switch with LED indicator. -function electronics.	
Specify preferre	ed size each Length: Width:	CAFFTYLI	CLITC		
OSLPEB	Optional Sized Lateral Pad or Elbow Block\$650	SAFETY LIC			
Specify preferre	ed size each Length: Width: earance available.	FSLS		fety Lights - through S	
	c over polyruethane foam is standard.	FSLJ		fety Lights - through J	•
SPECIALTY	FOOT PAD OPTIONS	RSLS	Rear Saf	ety Lights - through S	witch ⁽¹⁾ \$495
OPIF On	yx Pad for Individual Foot Plates (Pair) $^{(1)(2)(3)}$ \$650	RSLJ	Rear Saf	ety Lights - through Jo	oystick ⁽²⁾ \$995
 Pad thicknes Not available 	s is 1" e on Maxx Independent Adjustable Positioning Foot plates. Not	LPC	Front & F	Rear Light Combo Pac	kage Credit* (\$150)
available on	Stander systems or with Power Anterior or Upfront modules. Lended with Heel Loops or Toe Straps			ear Lights and receive a credi	
o. INOI IECOIIIII	ended with theel Loops of Toe Straps	GEL	Ground	Effects Lighting throug	gh Switch ⁽¹⁾ \$350
ADDITION/	AL BATTERY TRAYS			arate power supply and single	push button switch.
SLBT40	Storm Long Base Additional Front Mounted			-Function electronics Sliding Back (PSB).	
	Battery Tray for Group 40 Battery\$500				
■SLBTU1	Storm Short Base Additional Front Mounted Battery Tray for U1 Battery\$500	Total Reta	il Value \$		
□ \$322	Storm Base 3 x Group 22 Battery Tray Conversion\$950			SUBMIT	
□ TDXU1	TDX-SP Base Rear Caster Mounted U1 Battery Tray ⁽¹⁾ \$500	PRINT FO	ORM	SAVE	CLEAR FORM
EDGE322	Edge HD 3 x Group 22 Battery Tray Conversion ⁽²⁾ \$500	NOTES			
	Wide Base TDX-SP Only and must have factory Transport brackets				
- TBKTS. 2. Deletes facto	pry battery boxes.				
2 5.0103 14010	.,,,				