



CLEAR FORM

Modular Maxx Power Positioning Accessories
CDN PRICE LIST AND ORDER FORM
Price Effective Aug 12, 2022



Contact Motion Concepts Customer Service: 1.866.748.7943 | quotesCDN@motionconcepts.com

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

These Accessory Additions are only available with the purchase of a new power positioning system and completed order form (http://motionconcepts.com/order_forms_cdn.html) with all Client Specifications completed.

Subject to approval

LATERAL TILT MODULE⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾⁽⁸⁾

LAMT Power Lateral Tilt Module(up to 15°) ..\$5,195

All options must be selected on the system order form prior to selecting this option.

LATDY Reduced Drive while in Lateral Tilt - Yes

LATDN Reduced Drive while in Lateral Tilt - No

1. Weight capacity is 225 lbs.
2. Only available on TDX-SP2, Aviva FX, 3G Storm, 6000ZHD, Edge HD and Rovi A3 Bases.
3. When ordering a lateral tilt module on a Storm short base frame, standard fixed casters must be ordered on the base.
4. Only available on 16" to 20" seat widths and 16" to 22" seat depths.
5. Only available with Multi-function electronics Part # MFCBD.
6. Must order the Group 24 battery tray for the TDX-SP2, which will utilize Group 22 batteries to accommodate the lateral tilt module.
7. Vents, articulating vents and articulating O2 holders are not available with Lateral Tilt.
8. The lowest Seat to floor height with Lateral Tilt will be 20.25" and will depend on the base selected.

POWER ANTERIOR TILT MODULE⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾⁽⁸⁾⁽⁹⁾

PAT45 Power Anterior Tilt Module(up to 45°)\$5,195

All options must be selected on the system order form prior to selecting this option.

SOCM Synchronized Option for Center Mount Front Rigging with Anterior Tilt\$1,750
MANDATORY For LNX, Maxx Style Fixed and Power Elevating Calf Panel.

SOR Synchronized Option for Recline with Anterior Tilt N/C
For use on Tilt/Recline Systems, recommended with PAT45.

1. Strongly recommend selecting Recline with Power Anterior Tilt.
2. Weight capacity 250 lbs.
3. Only available on 16" to 20" seat widths and 16" to 22" seat depths.
4. Only available with Multi-Function electronics Part # MFCBD.
5. All front rigging will be set a 70° unless using the Synchronized Center Mount option. This module may limit front rigging options.
6. Minimum 18" seat to floor height at zero degrees.
7. Minimum finished knee to heel to touch floor is 13".
8. Not available with 12" Power Adjustable Seat Height Module.
9. Power Telescoping and Power Flip up foot platforms are not available.

FIXED ANTERIOR ASSIST⁽¹⁾⁽²⁾

FA10DLO 10° Fixed Anterior Assist/Drive Lock Out⁽³⁾⁽⁴⁾\$975

All options must be selected on the system order form prior to selecting this option.

FA5DLO 5° Fixed Anterior Assist/Drive Lock Out\$395

1. This module may limit front rigging options. The 10° Fixed Anterior Assist adds approximately 3.6" to the seat to floor height at zero degrees(level). The 5° Fixed Anterior Assist adds approximately 2.2" to the seat to floor height at zero degrees(level).
2. Drive lock out is necessary when there is less than 3" ground clearance.
3. Only available with Multi-Function electronics Part # MFCBD.
4. Depending on seat depth and knee to heel, drive in pre-tilt may be required and/or restricted anterior may be necessary.

UPFRONT MODULE⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾⁽⁸⁾ **ROVI BASES ONLY**

URM Upfront Module (up to 45°) with Anterior Tilt and 7" of Seat Elevation\$7,795

System moves Forward 5" while elevating forward and includes a synchronized leg mechanism to tuck when elevated forward and when extends forward in anterior tilt. All options must be selected on the system order form prior to selecting this option.

RDM Reduced Drive for Upfront Module - Included

1. Weight capacity is 250 lbs.
2. Only available with LNX Power Center Mount Front Rigging or Maxx Style Manual Center Mount foot platform.
3. Recline is recommended to assist with forward transfer.
4. Only available on 16" to 20" seat widths and 16" to 22" seat depths.
5. Only available with Multi-Function electronics Part # MFCBD.
6. Articulating Vents and O2 Holders are not available.
7. Power Sliding Back (PSB) is not available with the upfront module.
8. Power Telescoping and Power Flip up foot platforms are not available.

POWER SWING AWAY JOYSTICKS

PSAJH Power Swing Away Joystick - Horizontal⁽¹⁾⁽²⁾
(Quad Link Style) Joystick Power "on" operation\$3,895

PSAJV Power Swing Away Joystick - Vertical
Flip Up⁽¹⁾⁽²⁾(Mid Line Style) Joystick Power "on" operation \$3,895

Select Mounting Position:

MLPS Mount on Left Side
 MRPS Mount on Right Side

JPOPS Operate Power Joystick/Chin Boom with Joystick Power "off" option⁽³⁾\$975

1. Comes with an egg switch.
2. Counts as an additional electronic function.
3. Allows Power Swing Away joystick to operate when chair is turned off.

POWER SWING AWAY CHIN BOOM

PSACB Power Swing Away Chin Boom⁽¹⁾⁽²⁾
Joystick Power "on" operation\$3,895

Select Mounting Position:

MLCB Mount on Left Side
 MRCB Mount on Right Side

JPOCB Operate Power Joystick/Chin Boom with Joystick Power "off" option⁽³⁾\$975

1. Comes with an egg switch
2. Counts as an additional electronic function.
3. Allows Power Swing Away Chin Boom to operate when chair is turned off.

Customer Service: 1.866.748.7943 | Fax: 1.905.695.0583 | quotescdn@motionconcepts.com

Prices subject to change without notice.

www.motionconcepts.com

TRD0454, REV J

PAGE 1 of 4

"RFQ" = Request FOR Quotation - Please call customer service at 1.866.748.7943 or fax 1.905.695.0583

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

POWER RETRACTABLE HEADREST⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾

PRH **Power Retractable Headrest** \$5,195

The Headrest pad moves up 3.5" and forward 4".

1. Finished Back Height must be 22" high or greater.
2. Counts as an additional electronic function.
3. Not available with Power Sliding Back (PSB).
4. Not compatible with aftermarket backs, for use with Motion or Matrix backrests.
5. Seat to top of head measurement required

POWER CHEST RESTRAINT⁽¹⁾⁽²⁾⁽³⁾

PCB **Power Chest Restraint**..... \$5,195

1. Weight Capacity is 200 lbs
2. Counts as an additional electronic function.
3. Compatible with Dual Post Armrest and Reclining Adjustable Height Armrest.

TRANSFER ARM⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾

- PTAL **Power Transfer Armrest - Left Side** \$2,595
- PTAR **Power Transfer Armrest - Right Side** \$2,595
- MTAL **Manual Transfer Armrest - Left Side** \$1,295
- MTAR **Manual Transfer Armrest - Right Side**..... \$1,295
- PFBAL **Power Flip Back Armrest - Left Side** \$2,595
- PFBAR **Power Flip Back Armrest - Right Side**..... \$2,595

1. Weight capacity is 175 lbs.
2. Only with Adjust Dual Post Style Armrest for Tilt/Recline, arm height 10.5"-14.5"
3. Requires Multi-function electronics ordered on chair Part # MFCBD.
4. Minimum seat depth available is 16" and 16"-20" seat width.
5. Minimum seat to floor height 18"
6. Transfer only available in the chair home position.
7. Not available with Upfront Module.

POWER COMMUNICATION DEVICE⁽¹⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾

- PCDSL **Power Communication Device Single Actuator - Left Joystick Power "on" operation** \$3,895
- PCDSR **Power Communication Device Single Actuator - Right Joystick Power "on" operation**..... \$3,895
- PCDDL **Power Communication Device Dual Actuator - Left Joystick Power "on" operation** \$5,195
- PCDDR **Power Communication Device Dual Actuator - Right Joystick Power "on" operation**..... \$5,195
- JPOCD **Operate Power Joystick/Chin Boom/Communication Device Joystick Power "off" option⁽⁷⁾** \$975
- AE **Additional Electronics** \$5,195

1. Considered an additional electronic function and requires Multi-function electronics ordered on chair Part # MFCBD.
2. Consider as an additional two functions.
3. May require additional electronics if system has more than 6 actuators (functions).
4. Minimum seat depth available is 16".
5. Weight capacity 20 lbs.
6. Comes with an egg switch.
7. Allows Power Communication Device to operate when chair is turned off.

FRONT RIGGING WITH RETRACTING FOOTPLATE

MSFCMFR **Maxx Style Fixed Center Mount Foot Platform with Retracting Footplate⁽¹⁾⁽²⁾** \$695

- RFP **Retracting rubber coated footplate (11.5" W x 10")** N/C
- ICP **Comes standard with individual calf pads** . . . N/C
- SPTF2 **13" -17"** N/C
- SA70 **Set at 70°** N/C
- SA90 **Set at 90°** N/C

LNXF **LNX Power Center Mount Foot Platform with Retracting Footplate⁽¹⁾⁽²⁾** \$3,295

- RFP **Retracting rubber coated footplate (11.5" W x 10")** .N/C
- ICP **Comes standard with individual calf pads** . . . N/C
- SPTF2 **13" -17"** N/C

1. 3" ground clearance required.
2. This setting may impede the forward transfer feature of the system.

POWER FOOT PLATFORM OPTIONS FOR LNX

For use with LNX Foot platform ordered separately

- LNXPTF **Power Telescoping Foot Platform for LNX⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾** \$2,925
Powers lower leg length vertically up to a maximum of 4" extension.
- LNXPFUF **Power Flip up Foot Platform for LNX⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾⁽⁶⁾⁽⁷⁾** \$2,595

1. Available with one piece calf panel only and not available with a finished knee-to-heel of 13" or less. Not available with Split Footplates.
2. Comes standard with a 12" x 10.75" footplate made of durable aluminum 1/4" thick with heel loops.
3. The front rigging will be set at approximately 80° on the Storm 3G.
4. Minimum finished knee to heel is 13".
5. Minimum seat to floor height is 17".
6. Not available on Upfront Module.
7. Requires Multi-function electronics ordered on chair Part # MFCBD.

POWER FOOT PLATFORM OPTIONS⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾

Fixed Center Mount footplatform is included

- FCMFPTF **Power Telescoping Foot Platform with Fixed Center Mount.** \$3,695
Powers lower leg length vertically up to a maximum of 4" extension.
- FCMFPUF **Power Flip up Foot Platform with Fixed Center Mount.** \$2,925

1. Included the Fixed Center Mount Foot platform which does not elevate.
2. Comes standard with a 12" x 10.75" footplate made of durable aluminum 1/4" thick with heel loops. Optional sizes available per standard order form.
3. This option is not available Storm 3G unless Flared Front Casters for Storm short base are added.
4. Minimum finished knee to heel is 13".
5. Minimum seat to floor height is 17".

"RFQ" = Request FOR Quotation - Please call customer service at 1.866.748.7943 or fax 1.905.695.0583

Dealer Name: _____

Dealer Account Number: _____

PO #: _____

Tag: _____

POWER CALF PANEL ONLY⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾

PECP Power Elevating Calf Panel Only
(no articulation) \$3,895

1. No footplate available.
2. Calf panel measures up to 15" in length and measures 13" wide at the bottom and tapers up to within 2" narrower than the seat width.
3. Minimum seat depth 17" deep.
4. Not available for use with Dual Front Rigging adaptor.

POWER ELEVATING & ARTICULATING CALF PANEL⁽¹⁾⁽²⁾⁽³⁾⁽⁶⁾⁽⁷⁾

PEAC Power Elevating & Articulating Calf Panel⁽⁴⁾..... \$5,645

PEACPDF Power Elevating & Articulating Calf Panel
with Power Down Footplate^{(12"W x 10.75")⁽⁴⁾⁽⁵⁾ .. \$6,495}

Options


MCP Meshtex Calf Panel STD

VCP Vinyl Calf Panel STD

1. Calf panel measures up to 15" in length and measures 13" wide at the bottom and tapers up to within 2" narrower than the seat width.
2. Minimum seat depth 17" deep.
3. Knee to heel (KTH) = 12"-16"
4. 3.5" of articulation
5. Power down footplate travels 4" maximum.
6. Not available for use with Dual Front Rigging adaptor.
7. Only available with Multi-Function electronics

CUSTOMIZED FOOT PLATFORM OPTIONS

CFP Custom Foot Platform⁽¹⁾ \$715



OCUFP Onyx Pad for Any Foot Platform⁽²⁾⁽³⁾ \$585

1. Available for Maxx/LNX Center Mount.
2. Available for all Maxx/LNX Center Mount Foot Platform options.
3. Pad thickness is 1"

DUAL FRONT RIGGING ADAPTOR

DFRA1 Receivers for Maxx Style Fixed with 70° Swing Away Legrests \$450

DFRA2 Receivers for Maxx Style Fixed with Maxx Style Elevating Legs (Power or Manual)..... \$450

DFRA3 Receivers for LNX Power Center Mount with 70° Swing Away Legrests \$450

DFRA4 Receivers for LNX Power Center Mount HD Swing Away Legrests \$450

CUSTOMIZED LEGREST OPTIONS⁽¹⁾⁽²⁾⁽³⁾⁽⁴⁾

PALSAMS Power Assisted Legrest Swing Away Mechanism controlled through Switch..... \$5,195

PALSAMJ Power Assisted Legrest Swing Away Mechanism controlled through Joystick \$5,195

- Considered an additional electronic function and requires Multi-function electronics ordered on chair Part # MFCBD.
2. Compatible with Motion HD 70° Swing Away footrest, Maxx Style Swing Away Legrest Power or Manual.
 3. Legrests are not removeable.
 4. Minimum 16" seat width and minimum 16" seat depth.

OPTIONAL CALF PANEL⁽¹⁾⁽²⁾

OSCP Optional Sized Flat One Piece Calf Panel for LNX \$585

Maximum pad size is seat width less 2" and 10" in length. With minimum 13" finished knee to heel.

Specify preferred size each Height: _____ Width: _____

1. Subject to clearance available.
2. Startex fabric over polyurethane foam is standard.

SPECIALTY PAD OPTIONS

Lateral Leg Support for LNX One Piece Calf Panel

LLSLNXX Extra Small Lateral Pad (5.5"W x 4"H) \$845

LLSLNXS Small Lateral Pad (7"W x 6"H) \$845

LLSLNXM Medium Lateral Pad (9"W x 4"H) \$845

LLSLNXL Large Lateral Pad (13"W x 4"H) \$845

Lateral Leg Supports for Power Elevating Calf Panel

LLSPCPX Extra Small Lateral Pad (5.5"W x 4"H) \$845

LLSPCPS Small Lateral Pad (7"W x 6"H) \$845

LLSPCPM Medium Lateral Pad (9"W x 4"H) \$845

LLSPCPL Large Lateral Pad (13"W x 4"H) \$845

OSICP Optional Sized Individual Calf Pads for Motion Concepts Front Rigging \$845

Specify preferred size each Height: _____ Width: _____

OSFAP Optional Sized Flat Arm Pads \$845

Specify preferred size each Length: _____ Width: _____

OSLPEB Optional Sized Lateral Pad or Elbow Block ... \$845

Specify preferred size each Length: _____ Width: _____

1. Subject to clearance available.
2. Startex fabric over polyurethane foam is standard.

